

## ATV TIRES - Goodyear

### ATT 901

Combines Responsiveness and Traction  
Front Tire Utility Service

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT21x7-10	1*	TL		44.22	209-260-090	14	10

### ATT 902

Traction and Stability with a Soft Ride  
Rear Tire Utility Service

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22x9-8	1*	TL		55.85	209-417-092	16	13

### ATT 911

Stable, Comfortable Traction Tire  
Front Tire Utility Service

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT23x8-11	1*	TL		50.75	209-270-080	14	12

### ATT 912

Stable, Comfortable Traction Tire  
Rear Tire Utility/Traction Service

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x11-9	1*	TL		55.90	209-279-082	14	12

### ATT 913

Rear tire for utility service  
Good combination of traction and ride comfort provided by the directional button design

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT24-9-11	1*	TL		53.81	209-273-081	14	15

### COMPASS TERRA

Race tested knobby design  
Great for trails and back roads  
Rugged cord body resists bruising and punctures

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
21-1100-8NHS	2*	TL		59.86	209-265-157	16	13

### RAWHIDE MT/R RADIAL

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-8R12	3*			69.86	209-024-070	18	17
AT25-10R12	3*			82.48	209-025-070	20	23
AT26-8R12	3*	TL		85.24	209-020-070	18	17
AT26-11R12	3*	TL		89.00	209-021-070	20	24
AT26-9R14 NHS	4*			91.13	209-010-070	19	19
AT26-11R14NHS	4*			95.11	209-011-070	21	26

## ATV TIRES - Goodyear

### RAWHIDE RS

Size	INDEX	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-8-12	2*			63.06	209-285-071	17	15
AT25-10-12	2*			64.09	209-422-071	19	19
25-8-12 <sub>NHS</sub>	NHS	TL		63.06	209-201-071	20	21
25-10-12 <sub>NHS</sub>	NHS	TL		64.09	209-202-071	23	22

### SMOOTH TERRA

Excellent flotation and traction in sand and on soft terrain  
Paddle effect in water

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
18-950-8	2	TL		44.35	209-431-210		8.5

### RAWHIDE TERRA

Deep biting bars spaced and angled for soil penetration and minimum buildup  
Great traction in soft terrain

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
21-1100-8 NHS	2*	TL		58.59	209-265-160	16	14

### Tracker P

Proven All-Purpose Tread Design  
Excellent Mud and Snow Performance

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x11-10	3*			83.46	209-277-704	24	25
AT25x8-12	3*			66.53	209-285-704	16	15
<b>Runflat</b>							
AT22x11-10	2*			112.61	209-430-449	20	22
AT22x11-10	3*			122.73	209-412-449	20	23
AT25x11-10	3*			142.15	209-277-449	29	35

### Tracker ATT

Excellent Self-Cleaning Tread Action

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT24x8-11	2*			59.53	209-287-115	19	15
AT24x10-11	2*			63.54	209-266-115	19	19

### RAWHIDE GRIP

3/4" tread depth provides excellent traction and long lasting performance  
Added puncture resistance with the 4 ply rated construction  
Designed for applications from O.E. performance to aggressive mud traction

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25X8-12	3*	TL		66.26	209-285-072	24	17
AT25X11-12	3*	TL		82.32	209-026-072	24	24
AT26-9-12	3*	TL		69.91	209-501-072	24	24
AT25-11-10	3*	TL		82.96	209-277-072	24	28
AT25-10-12	3*	TL		76.56	209-315-072	24	26
AT26-11-12	3*	TL		85.17	209-200-072	24	28
25-8.00-12 <sub>NHS</sub>	2*	TL		66.26	209-401-072	24	19
25-11.00-12 <sub>NHS</sub>	2*	TL		82.32	209-465-072	24	27

## ATV TIRES - Goodyear

### TRACKER HP

Variable angle rib pattern and biting design  
 Excellent mud and snow performance  
 Good steering response and puncture resistance

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22-10-9	1*	TL		63.46	209-288-117	16	16
AT22-7-11	1*	TL		59.68	209-280-117	15	11

### MUD RUNNER

Well-spaced deep lugs for excellent mud traction  
 Centerline "Riding Pads" for smooth ride and excellent treadwear  
 Added puncture resistance with the 4 ply construction  
 Long wearing with exceptional mud traction

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-8-12	3*	TL		89.69	209-285-147	25	21
AT25-10-12	3*	TL		104.25	209-402-147	28	30
AT25-11-10	3*	TL		91.05	209-277-147	32	30
AT26-9-12	3*	TL		99.18	209-501-147	26	23
AT26-12-10	3*	TL		117.94	209-210-147	32	33
AT26-12-12	3*	TL		119.69	209-502-147	32	32
AT27-9-12	2*	TL		99.61	209-390-153	27	22
AT27-12-12	2*	TL		121.19	209-391-153	32	32
<b>Runflat</b>							
AT25-8-12	2*	TL		128.04	209-401-091	25	27
AT25-10-12	2*	TL		126.18	209-422-091	28	31
AT25-11-10	2*	TL		131.13	209-406-091	32	36

### TRACKER MP

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT24-8-11	3*	TL		67.45	209-287-139	18	16
AT24-10-11	3*	TL		71.36	209-286-139	18	19

### TRACKER CL

Variable angle rib pattern and biting design  
 Improved steering response and wet/dry handling.  
 Rear tire is industries first "pitched" tire for a quieter ride

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT24-8-12	2*	TL		62.19	209-053-079	16	14
AT25-11-12	2*	TL		78.24	209-406-079	16	19

### TRACKER PT

Excellent Lateral Stability, Traction

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT23x7-10	2*	TL		63.01	209-543-404	16	10

## ATV TIRES - Dunlop

### QUADMAX

The Quadmax is engineered for aggressive traction and durability  
 Manufactured on a premium light weight and durable six ply rated casing  
 Engineered for all terrain conditions  
 Great Slip free handling and traction

Size	LR	KT Series	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT24-9-11	6	801		63.72	272-331-713	22	20
AT24-8-12	6	801		67.30	272-331-709	22	18
AT25-8-12	6	801		64.56	272-331-708	22	18
AT25-11-10	6	805		69.53	272-331-712	22	21
AT25-10-12	6	805		68.24	272-331-710	22	22
AT25-11-12	6	805		70.62	272-331-711	22	22

### KT121, 121A, 121D & 121E

Premium Steering Response and Traction for a Variety of Terrains  
 Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
<b><u>121</u></b>							
AT25x8-12	2*			64.86	272-418-798	20	14
<b><u>121A</u></b>							
AT25x8-12	2*			64.86	272-900-027	20	13
<b><u>121D</u></b>							
AT25x8-12	2*			64.86	272-418-712	20	16
<b><u>121E</u></b>							
AT25x8-12	2*			64.86	272-303-798	17	15

### KT123

Self Cleaning Steering Control  
 Front Tire  
 Diamond Shoulders for Steering Control  
 Open Center for Self Cleaning

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x8-12	1*			64.86	272-900-025	17	15

### KT125M

Premium Traction and Control  
 Rear Tire  
 Wide Angle, High Void to Tread Ratio  
 Excellent self cleaning tire for multi-purpose riding

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x11-10	2*			71.33	272-418-447	20	19

### KT127, 127A & 127B

Proven All-Purpose Tread Design  
 Front and Rear Position  
 Long bar - Short bar design for a wide range of riding conditions

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
<b><u>KT127</u></b>							
AT25x10-12	1*			70.77	272-900-024	19	17
<b><u>KT127A</u></b>							
AT25-10-12	2*			70.77	272-100-010	18	17

## ATV TIRES - Dunlop

### KT128

Proven All-Purpose Tread Design  
Rear Tire  
Claw Pattern for Grip and Traction

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x10-12	2*			70.77	272-302-884	19	19

### KT131

Alternating Check Lug Pattern  
Front Tire  
Stable Steering and Responsive Handling

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x8-12	2*			64.86	272-427-198	16	16

### KT135

Elongated V- Pattern for Comfort and Control  
Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x10-12	2*			70.77	272-427-184	18	17

### KT151

All Terrain Steering  
Front Tire  
Excellent Traction, Ride Comfort and Steering Stability

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
22x7-11	1*			61.10	272-338-161	16	12

### KT155

All Terrain Traction  
Rear Tire  
Excellent Traction on all Surfaces and Conditions

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22x10-9	1*			56.10	272-338-180	17	17

### KT161

Sport Performance Steering  
Front Tire  
Maximum Steering Response

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22x7-10	2*			51.55	272-338-245	16	11

### KT165

Sport Performance Traction  
Rear Tire  
Full Faced Lateral Tread Blocks for Stability, Traction and Ride

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT20x10-9	1*			59.02	272-338-393	17	13

### KT171

Precise Steering Response

Front Tire  
Performance Enhanced Pattern for Precise Steering Response

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22x7-10	2*			51.55	272-100-012	16	12

## ***ATV TIRES - Dunlop***

### **KT175**

Sport Proven Traction  
Rear Tire  
Performance Proven Sport Traction Pattern

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22x10-9	1*			56.10	272-100-011	16	14

### **KT181**

Precise Steering Response  
Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT23x8-12	2*			64.86	272-200-001	16	14

### **KT185**

Premium Traction Control  
Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x10-12	1*			70.77	272-200-100	18	19

### **KT191**

Combination of Durability and Traction  
Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-8-12	2*			64.86	272-200-612	16	15

### **KT195**

Combination of Durability and Traction  
Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-10-12	2*			70.77	272-200-712	18	16

### **KT201**

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT20-7-10	2*			49.25	272-327-953	14	9

### **KT205A**

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT19-10-9	2*			56.97	272-327-980	15	11

### **KT331 Radial**

True Radial Design for a True Radial Performance  
Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT21x7R10	2*			57.26	272-302-769	16	11
AT21-7R10	2*			57.26	272-302-710	16	11
AT22x7R10	2*			58.39	272-302-645	16	12

### **KT331A**

## ATV TIRES - Dunlop

### KT335 Radial

True Radial Design for a True Radial Performance  
Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT20x10R9	2*			61.10	272-302-693	16	14
AT20-10R9	2*			61.10	272-302-793	16	14
<b><u>KT335H</u></b>							
AT20x10R9	2*			61.10	272-327-609	16	14

### KT341 Radial

True Radial Design with Advanced Tread Technology  
Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT21x7R10	2*			57.26	272-200-810	15	12

### KT345 Radial

True Radial Design with Advanced Tread Technology  
Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
ATx20-10R9	2*			61.10	272-200-909	17	14

### KT355A Radial

True Radial Design for Precise Sport Performance  
Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT20x10R19	2*			61.10	272-200-409	17	15

### KT355 Radial

True Radial Design for Improved Performance and Ride  
Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT20x10R9	2*			61.10	272-434-793	17	15

### KT363

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT21X7R10	2*			81.53	272-332-708	16	12

### KT371 Radial

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22X7R10	2*			58.39	272-323-100	16	11

### KT378 Radial

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
------	----	-------	--------	--------	--------------	---------------------	-------------------

AT22X9R11	3*			101.19	272-332-707	16	15
-----------	----	--	--	--------	-------------	----	----

#### KT381 Radial

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT20X7R10	3*			62.82	272-201-010	13	12

#### KT385 Radial

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT18X10R8	3*			66.99	272-201-108	18	13

## ATV TIRES - Dunlop

#### KT386 Radial

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT18X10R8	3*			66.99	272-900-890	18	13

#### KT391 Radial

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT21X7R10	2*			57.26	272-201-220	16	11

#### KT396 Radial

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT20X10R9	2*			61.10	272-201-220	16	14

#### KT405, 405C, 405H

A Combination of Durability and Traction  
Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
<b><u>KT405C</u></b> AT23x10-12	2*			70.77	272-418-684	19	18
<b><u>KT405H</u></b> AT25x10-12	2*			70.77	272-303-984	18	17

#### KT411

Outstanding All-Round Performance  
Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x8-12	2*			64.86	272-331-412	17	14

#### KT415

Outstanding All-Round Performance  
Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25x10-12	2*			70.77	272-331-312	19	18

#### KT421

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-8-12	2*			64.86	272-434-201	19	14

#### KT425

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-10-12	2*			70.77	272-436-500	21	17

**KT465A**

Multi-Purpose Modified Knobby Tread Pattern for Moderate Terrain  
Front and Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
15x7.00-6	NHS			35.66	272-430-581	10	6

**KT511 Radial**

Front Tire  
Self-cleaning steering control

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-8R12	2*			69.53	272-200-212	17	14

**ATV TIRES - Dunlop****KT515 Radial**

Rear Tire  
All-terrain Performance

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT25-10R12	2*			77.35	272-200-312	19	17

**KT537A**

Multi-Purpose Modified Knobby Tread Pattern  
Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22x10-8	1*			58.59	272-329-776	16	13

**KT576**

Steering Control on All Surfaces  
Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT23x8-11	1*			48.54	272-431-886	16	12

**KT577A**

Proven All-Purpose Traction  
Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
20x10.00-9	4PR			48.49	272-431-993	14	13

**KT586B**

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT18X7-7	2*			60.62	272-433-307	13	8

**KT587**

Multi-Purpose Modified Knobby Tread Pattern  
Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT18x8-7	2*			61.79	272-433-467	13	9

**KT701**

Self-Cleaning Steering Control  
Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
------	----	-------	--------	--------	--------------	---------------------	-------------------

AT22x7-10	2*			38.30	272-900-011	15	11
-----------	----	--	--	-------	-------------	----	----

### KT705

Self-Cleaning Steering Control

Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22x10-10	1*			45.95	272-900-012	16	13

### KT761

Steering Control in Moderate Terrain

Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22x9-10	1*			51.12	272-434-090	15	13

## ATV TIRES - Dunlop

### KT765

Traction Control in Moderate Terrain

Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
22x11.00-10	NHS			54.90	272-434-194	18	16
AT24x11-10	1*			66.61	272-434-199	19	17

### KT851B

Block Siping for Responsive Traction

Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT21x7-10	2*			60.47	60.47	272-324-069	15	10

### KT857

Improved Traction Control

Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT22x10-10	1*			45.95	272-430-682	16	14

### KT869

All Position Traction Tire

Front and Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
22x11.00-10	4PR			73.29	272-327-394	17	17
22x11.00-10	4PR			73.29	272-200-512	17	16
23X11.00-10	2*			73.39	272-327-310	17	19
24x9.00-10	4PR			78.14	272-200-510	14	15

### KT869M

All Position Traction Tire

Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
24x11.00-10	4PR			82.29	272-200-511	14	18

### KT877

High Void Modified Knobby

Rear Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
AT20x10-9	2*			59.02	272-324-093	16	14

**KT901**

Directional modified knobby

Front Tire

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
22x9.00-10	4PR			74.13	272-339-110	14	13

**KT953**

Size	LR	TT/TL	F.E.T.	Retail	Product Code	Trd Depth 32nds in.	Tire Weight (lbs)
25x11.00-12	NHS			104.73	272-424-202	21	11